

220297US-0-X PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :  
HIROSHI AKAMINE ET AL : ATTN: APPLICATION DIVISION  
SERIAL NO: 10/070,909 :  
FILED: 13 March 2002 : EXAMINER:  
FOR: POLYCARBONATE RESIN :  
COMPOSITION

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the above-identified application as follows.

IN THE CLAIMS

Please amend the claims as shown in marked-up copy following this amendment to read as follows:

3. (Amended) The polycarbonate resin composition as claimed in claim 1, of which the haze of the 3 mm-thick injection-molded plate is at most 40.

4. (Amended) The polycarbonate resin composition as claimed in claim 1, wherein the glass of the component (b) is at least one type selected from glass fibers, glass flakes and glass powder.

5. (Amended) The polycarbonate resin composition as claimed in claim 1, wherein the plasticizer of the component (c) is selected from phosphorus compounds, higher fatty acid esters and polycaprolactones.

6. (Amended) An injection-molded article of the polycarbonate resin composition of claim 1.

12. (Amended) Parts of electric and electronic appliances formed by injection-molding the polycarbonate resin composition of claim 8.

#### REMARKS

Claims 1-12 are active in the present application. Claims 3-6 and 12 have been amended to remove multiple dependencies. No new matter is added. An action on the merits and allowance of claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Norman F. Oblon  
Attorney of Record  
Registration No. 24,618

Stefan U. Koschmieder, Ph.D.  
Registration No. 50,238



**22850**

(703) 413-3000  
Fax #: (703)413-2220  
SUKOS/rac  
I:\atty\SUKOS\220297US-PR.wpd

**Marked-Up Copy**

Serial No: \_\_\_\_\_

Amendment Filed on: \_\_\_\_\_

3-31-2003

IN THE CLAIMS

--3. (Amended) The polycarbonate resin composition as claimed in claim 1[ or 2], of which the haze of the 3 mm-thick injection-molded plate is at most 40.

4. (Amended) The polycarbonate resin composition [of] as claimed in [any of claims 1 to 3] claim 1, wherein the glass of the component (b) is at least one type selected from glass fibers, glass flakes and glass powder.

5. (Amended) The polycarbonate resin composition as claimed in [any of claims 1 to 4] claim 1, wherein the plasticizer of the component (c) is selected from phosphorus compounds, higher fatty acid esters and polycaprolactones.

6. (Amended) An injection-molded article of the polycarbonate resin composition of [any of claims 1 to 5] claim 1.

12. (Amended) Parts of electric and electronic appliances formed by injection-molding the polycarbonate resin composition of [any of claims 8 to 11] claim 8--